



OPTIMAL MIXING INSTRUCTIONS

LAYER CONCENTRATES KLC 20

For feed delivering good performance at a lower cost

Galdus Pre - starter	Starter	Grower	Developer	Pre Layer	Pre-Peak	Layer 1	Layer 2
----------------------	---------	--------	-----------	-----------	----------	---------	---------

Ingredients	0 - 10 days	1 - 6 weeks	7 - 12 weeks	13 - 17 weeks	18 - 19 weeks	20 - 28 weeks	28 - 45 weeks	> 45 weeks - END
Galdus High Altitude	Min. 150 gr/DOC
KBC 35/30 SA	350	300
KLC 20 + CARO	180	200	200	200	200
CORN 8,5% CP	520	510	550	575	585	590	585
WHEAT BRAN / POLLARDS	125	185	250	150	120	100	100
SOYBEAN OIL	5	5	10	10	5
LIMESTONE 33,5	20	60	85	100	110
Total Kgs	1,000	1,000	1,000	1,000	1,000	1,000	1,000

IMPORTANT REMARKS :

- **DOC** stands for **Day Old Chick**
- For the best results; start with the Koudijs Galdus 2mm pre-starter (minimum 150 gram/bird total, preferably more).
- When oil is available; replace 0,5% corn for 0,5% oil.
- Always make sure all birds have access to enough feed and water.
- Carefully follow the provided mixing instructions and thoroughly mix the ingredients for the best results.
- Be biosecurity wise; use disinfection materials, keep separate shoes for the birds houses only.
- Ensure proper quality of the limestone is used. Quicktests are available, ask your local representative for more info.
- To avoid drop in feed intake ; ensure the change of feed (from Starter to Grower feed etc.) happens gradually.
- Please check the website for the full nutritional composition of the feed after mixing.



WHATSAPP CONTACT

DE HEUS KENYA LIMITED

Tel. +254 742 521 632

info.ke@deheus.com, www.deheus.co.ke

EFFECTIVE DATE 17 May 2024

